EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/518901	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/25 13:30
S2	85	@ad<"20020626" and (709/225.ccls.) and (smart near3 card)	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/28 18:28
S3	85	@ad<"20020626" and (709/225.ccls.) and (smart near3 card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 18:29
S4	165	@ad<"20020626" and (709/225.ccls.) and (identi$5 and authenticat $3 and behav$4 and associa$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 19:22
S5	140	@ad<"20020626" and (709/225.ccls.) and (identi$5 and authenticat $3 and behav$4 and associa$4 and list$3 and (equip$4 or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 19:22
S6	7	@ad<"20020626" and (709/225.ccls.) and ("7816")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 19:49
S7	3	@ad<"20020626" and ("20030115326") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 10:00
S8	4	@ad<"20020626" and ("6839756") and (identi $5 authenticat$3 behav $4 associa$4 list$3 equip $4 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 10:02

S9	865	@ad< "20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 10:12
S10	863	@ad< "20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device) and card	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 13:37
S11	552	@ad< "20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device) and card and (reader)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 13:40
S12	566	@ad< "20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge) and card and (reader)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 13:54
S13	2	"20060075098" and equipment and behavi$3 and identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 14:53
S14	1	"20060075098" and equipment and behavi$3 and identifier and list and association	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 14:54

S15	568	@ad<"20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3) and card and (reader)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:02
S16	143	@ad<"20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl $3 or descambl$3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:05
S17	143	@ad<"20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3) and card and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:15

		(reader) and (encrypt$3 or decrupt$3 or scrambl $3 or descambl$3) and (strong or zero or intermediate)				
S18	143	@ad<"20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl $3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:20
S19	143	@ad<"20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl$3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:23

| S20 | 143 | @ad<"20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl $3 or descambl$3) and (strong or zero or intermediate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/29 15:33 |
| S21 | 143 | @ad<"20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent) and card and (reader) and (encrypt $3 or decrupt$3 or scrambl$3 or descambl $3) and (strong or zero or intermediate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/29 15:37 |

S22	143	@ad< "20020626" and (iso near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl$3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:42
S23	146	@ad< "20020626" and ((iso or standard) near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl$3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:44

| S24 | 146 | @ad<"20020626" and ((iso or standard) near3 "7816") and (identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl $3) and (strong or zero or intermediate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/29 15:55 |
| S25 | 146 | @ad<"20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl $3) and (strong or zero or intermediate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/29 16:05 |

S26	146	@ad< "20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3) and card and (reader) and (encrypt$3 or decrypt$3 or scrambl $3 or descambl$3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:08
S27	146	@ad< "20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3) and card and (reader) and (encrypt$3 or decrypt$3 or scrambl $3 or descambl$3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:20

S28	146	@ad<"20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl $3 or descambl$3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:29
S29	146	@ad<"20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3) and card and (reader) and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:54

		(encrypt$3 or decrupt$3 or scrambl$3 or descambl$3) and (strong or zero or intermediate)				
S30	146	@ad< "20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3 order $3 card$3) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl $3 or descambl$3) and (strong or zero or intermediate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:38
S31	146	@ad< "20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:43

		$3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3 order $3 card$3 session) and card and (reader) and (encrypt$3 or decrypt$3 or scrambl$3 or descambl $3) and (strong or zero or intermediate)				
S32	6	@ad< "20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3 order $3 card$3 session) and card and (reader) and (encrypt$3 or decrypt$3 or scrambl$3 or descambl $3) and (strong or zero or intermediate) and (quer$4 and joint$2 and logic$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 15:01

| S33 | 146 | @ad<"20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3 order $3 card$3 session) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl $3) and (strong or zero or intermediate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/30 15:21 |
| S34 | 3 | @ad<"20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3 order | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/30 15:23 |

		$3 card$3 session) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl $3) and (strong or zero or intermediate) and (impuls$3 with (purchas $3 or buy$3)) and logic $4				
S35	6	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and value	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 15:47
S36	1	@ad< "20020626" and ("7130910" "20030196089" "20020129249") and (authenti$6 same verif $7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 15:52
S37	0	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and (default$3 and fail$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:01
S38	4	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and (default$3 or fail$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:01
S39	1	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and (authenticat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:04
S40	6	@ad< "20020626" and ("7130910" "20030196089" "20020129249") and (authenticat$3 or identif $7 or access$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:07
S41	6	@ad< "20020626" and ("7130910" "20030196089" "20020129249") and (authenticat$3 or identif $7 or access$7 or challeng$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:10

S42	5	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and ((authenticat$3 or identif $7 or access$7 or challeng$3) same stag$3 or level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:20
S43	2	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and ((authenticat$3 or identif $7 or access$7 or challeng$3) same (stag $3 or level))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:22
S44	4	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and ((authenticat$3 or identif $7 or access$7 or challeng$3) same (list $3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:25
S45	4	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and ((authenticat$3 or identif $7 or access$7 or challeng$3) same (fail$3 or refus$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 16:34
S46	5	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and (access$4 same (right or priviledge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:39
S47	5	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and (attribut$3 or role)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:46
S48	5	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and (list $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:56

S49	1	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and (behav$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 18:02
S50	6	@ad<"20020626" and ("7130910" "20030196089" "20020129249") and (associat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 18:12
S51	0	@ad<"20020626" and ((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint$2 logic$4 id scramb$3 descrambl$3 de-scrambl$3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail$3 writ$3 terminal file layer agent application apdu command$3 record$3 stor$3 search$3 interact$3 presen$4 read$3 impuls$3 buy$3 purchas$3 select$3 order$3 card$3 session) and card and (reader) and (encrypt$3 or decrupt$3 or scrambl$3 or descambl$3) and (strong or zero or intermediate) and (union with list$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 18:30

S52	0	@ad<"20020626" and (((iso or standard) near3 "7816") and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz $5 approv$3 joint$2 logic $4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3 order $3 card$3 session or reader or encrypt$3 or decrupt$3 or scrambl$3 or descambl$3 or strong or zero or intermediate) and (union with list$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 18:32
S53	0	@ad<"20020626" and (((iso or standard) near3 "7816") and (union with list$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 18:33
S54	725	@ad<"20020626" and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 18:33

		$3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3 order $3 card$3 session or reader or encrypt$3 or decrupt$3 or scrambl$3 or descambl$3 or strong or zero or intermediate) and (union with list$3)				
S55	3	@ad< "20020626" and (reciproc$5 mirror$3 identi$5 authenticat$3 behav$4 associa$4 list$3 equip$4 device security authoriz$5 approv$3 joint $2 logic$4 id scramb$3 descrambl$3 de-scrambl $3 encrypt$3 decrypt$3 apply$3 union role interactive$2 dialogue access$4 right priviledge allow$4 den$4 grant$3 disallow$4 dis-allow$3 unauthoriz$2 pass$3 fail $3 writ$3 terminal file layer agent application apdu command$3 record $3 stor$3 search$3 interact$3 presen$4 read $3 impuls$3 buy$3 purchas$3 select$3 order $3 card$3 session or reader or encrypt$3 or decrupt$3 or scrambl$3 or descambl$3 or strong or zero or intermediate) and (union with list$3) and (709/225.ccls. or 713/172.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 18:35
S56	1	@ad< "20020626" and ("7130910" "20030196089" "20020129249" "20020152262") and (security and processor and authenticat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 18:43

| S57 | 1 | @ad<"20020626" and ("7130910" "20030196089" "20020129249" "20020152262") and (processor and authenticat$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/30 18:45 |
| S58 | 2 | @ad<"20020626" and ("7130910" "20030196089" "20020129249" "20020152262") and (security and authenticat $3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/04/30 18:45 |

5/6/2008 2:04:11 PM
C:\Documents and Settings\mfearer\My Documents\EAST\Workspaces\10518901.wsp